

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application;

--1. (Currently Amended) An audio processing apparatus comprising:

converting means for converting n-channel (where n is a positive integral number:  $n \geq 1$ ) audio signals supplied from at least one signal source into two-channel output signals;

81 ~~a pair of left and right~~ correcting filter means to which ~~a pair of two-channel left and right~~ signals converted by said converting means ~~[[is]] are respectively~~ supplied, said ~~left and right~~ correcting filter means correcting a difference of a sense of hearing due to a difference between right and left characteristics of a headphone, wherein an inverse transfer characteristic of the right channel is superimposed as impulse response data on a time area of the right correcting filter means and an inverse transfer characteristic of the left channel is superimposed as impulse response data on a time area of the left correcting filter means; and

an output section connected to outputs of said ~~pair of left and right~~ correcting filter means for supplying a pair of output signals respectively to right and left speaker units of the headphone.

--2. (Currently Amended) The audio processing apparatus according to claim 1, wherein two ~~pairs~~ sets of left and right correcting filter means are provided, and correcting characteristics of one ~~pair set~~ of said ~~two pairs~~ left and right of correcting filter means are set differently than the other ~~pair set~~ of said ~~two pairs~~ of left and right correcting filter means.

B1  
Cont  
--3. (Currently Amended) The audio processing apparatus according to claim 2, wherein:

output signals corrected by the one ~~pair set~~ of left and right correcting filter means ~~in said two pairs of correcting filter means~~ are supplied from a first output section to a first headphone, and

output signals corrected by the other ~~pair set~~ of left and right of correcting filter means are supplied from a second output section to a second headphone.

--4. (Currently Amended) The audio processing apparatus according to claim 1, wherein outputs selected from outputs of said two ~~pairs~~ sets of left and right correcting filter means are supplied to said output section.

--5. - 7. (Cancelled)

*Pl  
Cont*

--8. (Previously Presented) The audio processing apparatus according to claim 1, wherein the at least one signal source is composed of five positions: left front; right front; center front; left rear; and right rear.

---